








## FD...RD 特种钻尖RD型 Special Drilling Head RD




订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-080-RD	8.0	5.4	FD080/089-12-D-
FD-081-RD	8.1	5.4	
FD-082-RD	8.2	5.4	
FD-083-RD	8.3	5.4	
FD-084-RD	8.4	5.4	
FD-085-RD	8.5	5.4	
FD-086-RD	8.6	5.4	
FD-087-RD	8.7	5.4	
FD-088-RD	8.8	5.4	
FD-089-RD	8.9	5.4	
FD-090-RD	9.0	5.8	FD090/099-12-D-
FD-091-RD	9.1	5.8	
FD-092-RD	9.2	5.8	
FD-093-RD	9.3	5.8	
FD-094-RD	9.4	5.8	
FD-095-RD	9.5	5.8	
FD-096-RD	9.6	5.8	
FD-097-RD	9.7	5.8	
FD-098-RD	9.8	5.8	
FD-099-RD	9.9	5.8	
FD-100-RD	10.0	6.2	FD100/109-16-D-
FD-101-RD	10.1	6.2	
FD-102-RD	10.2	6.2	
FD-103-RD	10.3	6.2	
FD-104-RD	10.4	6.2	
FD-105-RD	10.5	6.2	
FD-106-RD	10.6	6.2	
FD-107-RD	10.7	6.2	
FD-108-RD	10.8	6.2	
FD-109-RD	10.9	6.2	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-110-RD	11.0	6.6	FD110/119-16-D-
FD-111-RD	11.1	6.6	
FD-112-RD	11.2	6.6	
FD-113-RD	11.3	6.6	
FD-114-RD	11.4	6.6	
FD-115-RD	11.5	6.6	
FD-116-RD	11.6	6.6	
FD-117-RD	11.7	6.6	
FD-118-RD	11.8	6.6	
FD-119-RD	11.9	6.6	
FD-120-RD	12.0	7.0	FD120/129-16-D-
FD-121-RD	12.1	7.0	
FD-122-RD	12.2	7.0	
FD-123-RD	12.3	7.0	
FD-124-RD	12.4	7.0	
FD-125-RD	12.5	7.0	
FD-126-RD	12.6	7.0	
FD-127-RD	12.7	7.0	
FD-128-RD	12.8	7.0	
FD-129-RD	12.9	7.0	
FD-130-RD	13.0	7.6	FD130/139-16-D-
FD-131-RD	13.1	7.6	
FD-132-RD	13.2	7.6	
FD-133-RD	13.3	7.6	
FD-134-RD	13.4	7.6	
FD-135-RD	13.5	7.6	
FD-136-RD	13.6	7.6	
FD-137-RD	13.7	7.6	
FD-138-RD	13.8	7.6	
FD-139-RD	13.9	7.6	

注：RD钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等、以及较软不易断屑的材料钻孔

RD Cuting head can drill with self-centering and less drill force, it can be used for stainless steel ,titanium , nickelbase alloys, Mn steel etc.and other materials not to be broken easily .

## FD...RD 特种钻尖RD型 Special Drilling Head RD



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-140-RD	14.0	8.1	FD140/149-16-D...
FD-141-RD	14.1	8.1	
FD-142-RD	14.2	8.1	
FD-143-RD	14.3	8.1	
FD-144-RD	14.4	8.1	
FD-145-RD	14.5	8.1	
FD-146-RD	14.6	8.1	
FD-147-RD	14.7	8.1	
FD-148-RD	14.8	8.1	
FD-149-RD	14.9	8.1	
FD-150-RD	15.0	8.7	FD150/159-20-D...
FD-151-RD	15.1	8.7	
FD-152-RD	15.2	8.7	
FD-153-RD	15.3	8.7	
FD-154-RD	15.4	8.7	
FD-155-RD	15.5	8.7	
FD-156-RD	15.6	8.7	
FD-157-RD	15.7	8.7	
FD-158-RD	15.8	8.7	
FD-159-RD	15.9	8.7	
FD-160-RD	16.0	9.3	FD160/169-20-D...
FD-161-RD	16.1	9.3	
FD-162-RD	16.2	9.3	
FD-163-RD	16.3	9.3	
FD-164-RD	16.4	9.3	
FD-165-RD	16.5	9.3	
FD-166-RD	16.6	9.3	
FD-167-RD	16.7	9.3	
FD-168-RD	16.8	9.3	
FD-169-RD	16.9	9.3	


订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-170-RD	17.0	9.9	FD170/179-20-D...
FD-171-RD	17.1	9.9	
FD-172-RD	17.2	9.9	
FD-173-RD	17.3	9.9	
FD-174-RD	17.4	9.9	
FD-175-RD	17.5	9.9	
FD-176-RD	17.6	9.9	
FD-177-RD	17.7	9.9	
FD-178-RD	17.8	9.9	
FD-179-RD	17.9	9.9	
FD-180-RD	18.0	10.5	FD180/189-25-D...
FD-181-RD	18.1	10.5	
FD-182-RD	18.2	10.5	
FD-183-RD	18.3	10.5	
FD-184-RD	18.4	10.5	
FD-185-RD	18.5	10.5	
FD-186-RD	18.6	10.5	
FD-187-RD	18.7	10.5	
FD-188-RD	18.8	10.5	
FD-189-RD	18.9	10.5	
FD-190-RD	19.0	11.0	FD190/199-25-D...
FD-191-RD	19.1	11.0	
FD-192-RD	19.2	11.0	
FD-193-RD	19.3	11.0	
FD-194-RD	19.4	11.0	
FD-195-RD	19.5	11.0	
FD-196-RD	19.6	11.0	
FD-197-RD	19.7	11.0	
FD-198-RD	19.8	11.0	
FD-199-RD	19.9	11.0	



注：RD钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等，以及较软不易断屑的材料钻孔。



RD Cutting head can drill with self-centering and less drill force, it can be used for stainless steel, titanium, nickelbase alloys, Mn steel etc. and other materials not to be broken easily.



## FD...RD 特种钻尖RD型 Special Drilling Head RD



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-200-RD	20.0	11.6	FD200/209-25-D..
FD-201-RD	20.1	11.6	
FD-202-RD	20.2	11.6	
FD-203-RD	20.3	11.6	
FD-204-RD	20.4	11.6	
FD-205-RD	20.5	11.6	
FD-206-RD	20.6	11.6	
FD-207-RD	20.7	11.6	
FD-208-RD	20.8	11.6	
FD-209-RD	20.9	11.6	
FD-210-RD	21.0	12.1	FD210/219-25-D..
FD-211-RD	21.1	12.1	
FD-212-RD	21.2	12.1	
FD-213-RD	21.3	12.1	
FD-214-RD	21.4	12.1	
FD-215-RD	21.5	12.1	
FD-216-RD	21.6	12.1	
FD-217-RD	21.7	12.1	
FD-218-RD	21.8	12.1	
FD-219-RD	21.9	12.1	
FD-220-RD	22.0	12.7	FD220/229-25-D..
FD-221-RD	22.1	12.7	
FD-222-RD	22.2	12.7	
FD-223-RD	22.3	12.7	
FD-224-RD	22.4	12.7	
FD-225-RD	22.5	12.7	
FD-226-RD	22.6	12.7	
FD-227-RD	22.7	12.7	
FD-228-RD	22.8	12.7	
FD-229-RD	22.9	12.7	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-230-RD	23.0	13.3	FD230/239-32-D..
FD-231-RD	23.1	13.3	
FD-232-RD	23.2	13.3	
FD-233-RD	23.3	13.3	
FD-234-RD	23.4	13.3	
FD-235-RD	23.5	13.3	
FD-236-RD	23.6	13.3	
FD-237-RD	23.7	13.3	
FD-238-RD	23.8	13.3	
FD-239-RD	23.9	13.3	
FD-240-RD	24.0	13.9	FD240/249-32-D..
FD-241-RD	24.1	13.9	
FD-242-RD	24.2	13.9	
FD-243-RD	24.3	13.9	
FD-244-RD	24.4	13.9	
FD-245-RD	24.5	13.9	
FD-246-RD	24.6	13.9	
FD-247-RD	24.7	13.9	
FD-248-RD	24.8	13.9	
FD-249-RD	24.9	13.9	
FD-250-RD	25.0	14.5	FD250/260-32-D..
FD-251-RD	25.1	14.5	
FD-252-RD	25.2	14.5	
FD-253-RD	25.3	14.5	
FD-254-RD	25.4	14.5	
FD-255-RD	25.5	14.5	
FD-256-RD	25.6	14.5	
FD-257-RD	25.7	14.5	
FD-258-RD	25.8	14.5	
FD-259-RD	25.9	14.5	
FD-260-RD	26.0	14.5	

注：RD钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等、以及较软不易断屑的材料钻孔

RD Cuting head can drill with self-centering and less drill force, it can be used for stainless steel ,titanium , nickelbase alloys, Mn steel etc.and other materials not to be broken easily .