








FD...S2 标准钻尖S2型 Standard Drilling Head S2




订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-080-S2	8.0	5.4	FD080/089-12-D...
FD-081-S2	8.1	5.4	
FD-082-S2	8.2	5.4	
FD-083-S2	8.3	5.4	
FD-084-S2	8.4	5.4	
FD-085-S2	8.5	5.4	
FD-086-S2	8.6	5.4	
FD-087-S2	8.7	5.4	
FD-088-S2	8.8	5.4	
FD-089-S2	8.9	5.4	
FD-090-S2	9.0	5.8	FD090/099-12-D...
FD-091-S2	9.1	5.8	
FD-092-S2	9.2	5.8	
FD-093-S2	9.3	5.8	
FD-094-S2	9.4	5.8	
FD-095-S2	9.5	5.8	
FD-096-S2	9.6	5.8	
FD-097-S2	9.7	5.8	
FD-098-S2	9.8	5.8	
FD-099-S2	9.9	5.8	
FD-100-S2	10.0	6.2	FD100/109-16-D...
FD-101-S2	10.1	6.2	
FD-102-S2	10.2	6.2	
FD-103-S2	10.3	6.2	
FD-104-S2	10.4	6.2	
FD-105-S2	10.5	6.2	
FD-106-S2	10.6	6.2	
FD-107-S2	10.7	6.2	
FD-108-S2	10.8	6.2	
FD-109-S2	10.9	6.2	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-110-S2	11.0	6.6	FD110/119-16-D...
FD-111-S2	11.1	6.6	
FD-112-S2	11.2	6.6	
FD-113-S2	11.3	6.6	
FD-114-S2	11.4	6.6	
FD-115-S2	11.5	6.6	
FD-116-S2	11.6	6.6	
FD-117-S2	11.7	6.6	
FD-118-S2	11.8	6.6	
FD-119-S2	11.9	6.6	
FD-120-S2	12.0	7.0	FD120/129-16-D...
FD-121-S2	12.1	7.0	
FD-122-S2	12.2	7.0	
FD-123-S2	12.3	7.0	
FD-124-S2	12.4	7.0	
FD-125-S2	12.5	7.0	
FD-126-S2	12.6	7.0	
FD-127-S2	12.7	7.0	
FD-128-S2	12.8	7.0	
FD-129-S2	12.9	7.0	
FD-130-S2	13.0	7.6	FD130/139-16-D...
FD-131-S2	13.1	7.6	
FD-132-S2	13.2	7.6	
FD-133-S2	13.3	7.6	
FD-134-S2	13.4	7.6	
FD-135-S2	13.5	7.6	
FD-136-S2	13.6	7.6	
FD-137-S2	13.7	7.6	
FD-138-S2	13.8	7.6	
FD-139-S2	13.9	7.6	

注：S2钻尖适用于灰口铸铁、球墨铸铁等钻孔。

Recommend S2 cutting head to be used for grey iron cast, nodular cast iron

FD...S2 标准钻尖S2型 Standard Drilling Head S2



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-140-S2	14.0	8.1	FD140/149-16...D...
FD-141-S2	14.1	8.1	
FD-142-S2	14.2	8.1	
FD-143-S2	14.3	8.1	
FD-144-S2	14.4	8.1	
FD-145-S2	14.5	8.1	
FD-146-S2	14.6	8.1	
FD-147-S2	14.7	8.1	
FD-148-S2	14.8	8.1	
FD-149-S2	14.9	8.1	
FD-150-S2	15.0	8.7	FD150/159-20...D...
FD-151-S2	15.1	8.7	
FD-152-S2	15.2	8.7	
FD-153-S2	15.3	8.7	
FD-154-S2	15.4	8.7	
FD-155-S2	15.5	8.7	
FD-156-S2	15.6	8.7	
FD-157-S2	15.7	8.7	
FD-158-S2	15.8	8.7	
FD-159-S2	15.9	8.7	
FD-160-S2	16.0	9.3	FD160/169-20...D...
FD-161-S2	16.1	9.3	
FD-162-S2	16.2	9.3	
FD-163-S2	16.3	9.3	
FD-164-S2	16.4	9.3	
FD-165-S2	16.5	9.3	
FD-166-S2	16.6	9.3	
FD-167-S2	16.7	9.3	
FD-168-S2	16.8	9.3	
FD-169-S2	16.9	9.3	


订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-170-S2	17.0	9.9	FD170/179-20...D...
FD-171-S2	17.1	9.9	
FD-172-S2	17.2	9.9	
FD-173-S2	17.3	9.9	
FD-174-S2	17.4	9.9	
FD-175-S2	17.5	9.9	
FD-176-S2	17.6	9.9	
FD-177-S2	17.7	9.9	
FD-178-S2	17.8	9.9	
FD-179-S2	17.9	9.9	
FD-180-S2	18.0	10.5	FD180/189-25...D...
FD-181-S2	18.1	10.5	
FD-182-S2	18.2	10.5	
FD-183-S2	18.3	10.5	
FD-184-S2	18.4	10.5	
FD-185-S2	18.5	10.5	
FD-186-S2	18.6	10.5	
FD-187-S2	18.7	10.5	
FD-188-S2	18.8	10.5	
FD-189-S2	18.9	10.5	
FD-190-S2	19.0	11.0	FD190/199-25...D...
FD-191-S2	19.1	11.0	
FD-192-S2	19.2	11.0	
FD-193-S2	19.3	11.0	
FD-194-S2	19.4	11.0	
FD-195-S2	19.5	11.0	
FD-196-S2	19.6	11.0	
FD-197-S2	19.7	11.0	
FD-198-S2	19.8	11.0	
FD-199-S2	19.9	11.0	



注：S2钻尖适用于灰口铸铁、球墨铸铁等钻孔。



Recommend S2 cutting head to be used for grey iron cast, nodular cast iron



FD...S2 标准钻尖S2型 Standard Drilling Head S2



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-200-S2	20.0	11.6	FD200/209-25-.D..
FD-201-S2	20.1	11.6	
FD-202-S2	20.2	11.6	
FD-203-S2	20.3	11.6	
FD-204-S2	20.4	11.6	
FD-205-S2	20.5	11.6	
FD-206-S2	20.6	11.6	
FD-207-S2	20.7	11.6	
FD-208-S2	20.8	11.6	
FD-209-S2	20.9	11.6	
FD-210-S2	21.0	12.1	FD210/219-25-.D..
FD-211-S2	21.1	12.1	
FD-212-S2	21.2	12.1	
FD-213-S2	21.3	12.1	
FD-214-S2	21.4	12.1	
FD-215-S2	21.5	12.1	
FD-216-S2	21.6	12.1	
FD-217-S2	21.7	12.1	
FD-218-S2	21.8	12.1	
FD-219-S2	21.9	12.1	
FD-220-S2	22.0	12.7	FD220/229-25-.D..
FD-221-S2	22.1	12.7	
FD-222-S2	22.2	12.7	
FD-223-S2	22.3	12.7	
FD-224-S2	22.4	12.7	
FD-225-S2	22.5	12.7	
FD-226-S2	22.6	12.7	
FD-227-S2	22.7	12.7	
FD-228-S2	22.8	12.7	
FD-229-S2	22.9	12.7	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-230-S2	23.0	13.3	FD230/239-32-.D..
FD-231-S2	23.1	13.3	
FD-232-S2	23.2	13.3	
FD-233-S2	23.3	13.3	
FD-234-S2	23.4	13.3	
FD-235-S2	23.5	13.3	
FD-236-S2	23.6	13.3	
FD-237-S2	23.7	13.3	
FD-238-S2	23.8	13.3	
FD-239-S2	23.9	13.3	
FD-240-S2	24.0	13.9	FD240/249-32-.D..
FD-241-S2	24.1	13.9	
FD-242-S2	24.2	13.9	
FD-243-S2	24.3	13.9	
FD-244-S2	24.4	13.9	
FD-245-S2	24.5	13.9	
FD-246-S2	24.6	13.9	
FD-247-S2	24.7	13.9	
FD-248-S2	24.8	13.9	
FD-249-S2	24.9	13.9	
FD-250-S2	25.0	14.5	FD250/260-32-.D..
FD-251-S2	25.1	14.5	
FD-252-S2	25.2	14.5	
FD-253-S2	25.3	14.5	
FD-254-S2	25.4	14.5	
FD-255-S2	25.5	14.5	
FD-256-S2	25.6	14.5	
FD-257-S2	25.7	14.5	
FD-258-S2	25.8	14.5	
FD-259-S2	25.9	14.5	
FD-260-S2	26.0	14.5	

注：S2钻尖适用于灰口铸铁、球墨铸铁等钻孔。

Recommend S2 cutting head to be used for grey iron cast, nodular cast iron