


## FD...RB 特种钻尖RB型 Special Drilling Head RB



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-080-RB	8.0	5.4	FD080/089-12-D...
FD-081-RB	8.1	5.4	
FD-082-RB	8.2	5.4	
FD-083-RB	8.3	5.4	
FD-084-RB	8.4	5.4	
FD-085-RB	8.5	5.4	
FD-086-RB	8.6	5.4	
FD-087-RB	8.7	5.4	
FD-088-RB	8.8	5.4	
FD-089-RB	8.9	5.4	
FD-090-RB	9.0	5.8	FD090/099-12-D...
FD-091-RB	9.1	5.8	
FD-092-RB	9.2	5.8	
FD-093-RB	9.3	5.8	
FD-094-RB	9.4	5.8	
FD-095-RB	9.5	5.8	
FD-096-RB	9.6	5.8	
FD-097-RB	9.7	5.8	
FD-098-RB	9.8	5.8	
FD-099-RB	9.9	5.8	
FD-100-RB	10.0	6.2	FD100/109-16-D...
FD-101-RB	10.1	6.2	
FD-102-RB	10.2	6.2	
FD-103-RB	10.3	6.2	
FD-104-RB	10.4	6.2	
FD-105-RB	10.5	6.2	
FD-106-RB	10.6	6.2	
FD-107-RB	10.7	6.2	
FD-108-RB	10.8	6.2	
FD-109-RB	10.9	6.2	


订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-110-RB	11.0	6.6	FD110/119-16-D...
FD-111-RB	11.1	6.6	
FD-112-RB	11.2	6.6	
FD-113-RB	11.3	6.6	
FD-114-RB	11.4	6.6	
FD-115-RB	11.5	6.6	
FD-116-RB	11.6	6.6	
FD-117-RB	11.7	6.6	
FD-118-RB	11.8	6.6	
FD-119-RB	11.9	6.6	
FD-120-RB	12.0	7.0	FD120/129-16-D...
FD-121-RB	12.1	7.0	
FD-122-RB	12.2	7.0	
FD-123-RB	12.3	7.0	
FD-124-RB	12.4	7.0	
FD-125-RB	12.5	7.0	
FD-126-RB	12.6	7.0	
FD-127-RB	12.7	7.0	
FD-128-RB	12.8	7.0	
FD-129-RB	12.9	7.0	
FD-130-RB	13.0	7.6	FD130/139-16-D...
FD-131-RB	13.1	7.6	
FD-132-RB	13.2	7.6	
FD-133-RB	13.3	7.6	
FD-134-RB	13.4	7.6	
FD-135-RB	13.5	7.6	
FD-136-RB	13.6	7.6	
FD-137-RB	13.7	7.6	
FD-138-RB	13.8	7.6	
FD-139-RB	13.9	7.6	



注：RB钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等，以及较软不易断屑的材料钻孔。



RB Cutting head can drill with self-centering and less drill force, it can be used for stainless steel, titanium, nickelbase alloys, Mn steel etc. and other materials not to be broken easily.



## FD...RB 特种钻尖RB型 Special Drilling Head RB




订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-140-RB	14.0	8.1	FD140/149-16-D...
FD-141-RB	14.1	8.1	
FD-142-RB	14.2	8.1	
FD-143-RB	14.3	8.1	
FD-144-RB	14.4	8.1	
FD-145-RB	14.5	8.1	
FD-146-RB	14.6	8.1	
FD-147-RB	14.7	8.1	
FD-148-RB	14.8	8.1	
FD-149-RB	14.9	8.1	
FD-150-RB	15.0	8.7	FD150/159-20-D...
FD-151-RB	15.1	8.7	
FD-152-RB	15.2	8.7	
FD-153-RB	15.3	8.7	
FD-154-RB	15.4	8.7	
FD-155-RB	15.5	8.7	
FD-156-RB	15.6	8.7	
FD-157-RB	15.7	8.7	
FD-158-RB	15.8	8.7	
FD-159-RB	15.9	8.7	
FD-160-RB	16.0	9.3	FD160/169-20-D...
FD-161-RB	16.1	9.3	
FD-162-RB	16.2	9.3	
FD-163-RB	16.3	9.3	
FD-164-RB	16.4	9.3	
FD-165-RB	16.5	9.3	
FD-166-RB	16.6	9.3	
FD-167-RB	16.7	9.3	
FD-168-RB	16.8	9.3	
FD-169-RB	16.9	9.3	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-170-RB	17.0	9.9	FD170/179-20-D...
FD-171-RB	17.1	9.9	
FD-172-RB	17.2	9.9	
FD-173-RB	17.3	9.9	
FD-174-RB	17.4	9.9	
FD-175-RB	17.5	9.9	
FD-176-RB	17.6	9.9	
FD-177-RB	17.7	9.9	
FD-178-RB	17.8	9.9	
FD-179-RB	17.9	9.9	
FD-180-RB	18.0	10.5	FD180/189-25-D...
FD-181-RB	18.1	10.5	
FD-182-RB	18.2	10.5	
FD-183-RB	18.3	10.5	
FD-184-RB	18.4	10.5	
FD-185-RB	18.5	10.5	
FD-186-RB	18.6	10.5	
FD-187-RB	18.7	10.5	
FD-188-RB	18.8	10.5	
FD-189-RB	18.9	10.5	
FD-190-RB	19.0	11.0	FD190/199-25-D...
FD-191-RB	19.1	11.0	
FD-192-RB	19.2	11.0	
FD-193-RB	19.3	11.0	
FD-194-RB	19.4	11.0	
FD-195-RB	19.5	11.0	
FD-196-RB	19.6	11.0	
FD-197-RB	19.7	11.0	
FD-198-RB	19.8	11.0	
FD-199-RB	19.9	11.0	

注：RB钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等、以及较软不易断屑的材料钻孔

RB Cutting head can drill with self-centering and less drill force, it can be used for stainless steel, titanium, nickelbase alloys, Mn steel etc. and other materials not to be broken easily.

## FD...RB 特种钻尖RB型 Special Drilling Head RB



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-200-RB	20.0	11.6	FD200/209-25...D...
FD-201-RB	20.1	11.6	
FD-202-RB	20.2	11.6	
FD-203-RB	20.3	11.6	
FD-204-RB	20.4	11.6	
FD-205-RB	20.5	11.6	
FD-206-RB	20.6	11.6	
FD-207-RB	20.7	11.6	
FD-208-RB	20.8	11.6	
FD-209-RB	20.9	11.6	
FD-210-RB	21.0	12.1	FD210/219-25...D...
FD-211-RB	21.1	12.1	
FD-212-RB	21.2	12.1	
FD-213-RB	21.3	12.1	
FD-214-RB	21.4	12.1	
FD-215-RB	21.5	12.1	
FD-216-RB	21.6	12.1	
FD-217-RB	21.7	12.1	
FD-218-RB	21.8	12.1	
FD-219-RB	21.9	12.1	
FD-220-RB	22.0	12.7	FD220/229-25...D...
FD-221-RB	22.1	12.7	
FD-222-RB	22.2	12.7	
FD-223-RB	22.3	12.7	
FD-224-RB	22.4	12.7	
FD-225-RB	22.5	12.7	
FD-226-RB	22.6	12.7	
FD-227-RB	22.7	12.7	
FD-228-RB	22.8	12.7	
FD-229-RB	22.9	12.7	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
FD-230-RB	23.0	13.3	FD230/239-32...D...
FD-231-RB	23.1	13.3	
FD-232-RB	23.2	13.3	
FD-233-RB	23.3	13.3	
FD-234-RB	23.4	13.3	
FD-235-RB	23.5	13.3	
FD-236-RB	23.6	13.3	
FD-237-RB	23.7	13.3	
FD-238-RB	23.8	13.3	
FD-239-RB	23.9	13.3	
FD-240-RB	24.0	13.9	FD240/249-32...D...
FD-241-RB	24.1	13.9	
FD-242-RB	24.2	13.9	
FD-243-RB	24.3	13.9	
FD-244-RB	24.4	13.9	
FD-245-RB	24.5	13.9	
FD-246-RB	24.6	13.9	
FD-247-RB	24.7	13.9	
FD-248-RB	24.8	13.9	
FD-249-RB	24.9	13.9	
FD-250-RB	25.0	14.5	FD250/260-32...D...
FD-251-RB	25.1	14.5	
FD-252-RB	25.2	14.5	
FD-253-RB	25.3	14.5	
FD-254-RB	25.4	14.5	
FD-255-RB	25.5	14.5	
FD-256-RB	25.6	14.5	
FD-257-RB	25.7	14.5	
FD-258-RB	25.8	14.5	
FD-259-RB	25.9	14.5	
FD-260-RB	26.0	14.5	

注：RB钻尖具有定心、分屑和卷屑功能，适用于锰钢、低碳钢等，以及较软不易断屑的材料钻孔，尤其是对大直径切屑较宽的钻孔，排屑效果尤为明显。

RB Cutting head can drill with self-centering and less drill force, it can be used for stainless steel ,titanium , nickelbase alloys, Mn steel etc.and other materials not to be broken easily.