

螺纹铣削刀具 THREADING MILLING TOOLS


螺纹铣刀杆 Threading Milling Toolholders



订货号 Order No.	尺寸 Dimensions (mm)					刀片 Insert	螺钉 Screw	扳手 Torx key
	L	L ₁	D	D ₁	D ₂			
TMMC12-6.0	69	12	12	6.8	9	60□□□	M2.2x0.45x5.0	T07
TMMC20-6.0	84	17	20	6.8	9			
TMC12-2	70	12	12	8.9	11.5	20□□□	M2.6x0.45x5.9	T08
TMC20-2	85	20	20	8.9	11.5			
TMC16-3	90	22	16	13.6	17	30□□□	UNC5x8.0	T10
TMC20-3	95	43	20	16.6	20			
BTMC16-3B	79.5	29	16	13.5	17	38□□□	UNC5x8.0	T10
BTMC20-3B	81.5	29	20	15.5	19			
BTMC25-3B	92.3	30	25	15.5	19			
BTMWC25-3B	90.8	30	25	18.5	22	50□□□	M5x0.8x15.0	T25
TMC25-5	110	52	25	24	30			
TMC25-5LH	110	52	25	24	30	68□□□	M7x1.0x15.0	T25
TMC32-5	120	58	32	31	37			
TMC32-6B	115	53	32	27	35			
TMC40-6B	135	63	40	38	46			




螺纹铣刀杆 Threading Milling Toolholders



订货号 Order No.	尺寸 Dimensions (mm)					刀片 Insert	螺钉 Screw	扳手 Torx key
	L	L1	D	D1	D2			
TMLC25-2	125	17	25	8.9	11.5	2000	M2.6x0.45x5.9	T08
TMLC25-3	125	25	25	18.6	22	3000	UNC5x8.0	T10
BTMLC25-3	125	63.5	25	18.6	22			
BTMLC20-3B	96.5	44	20	15.5	19	38000	UNC5x8.0	T10
BTMLC25-3B	125	63.5	25	18.6	22			
TMLC25-5	150	92	25	24	30	5000	M5x0.8x15.0	T25
TMLC32-5	160	98	32	31	37			
TMLC40-6B	165	93	40	38	46	68000	M7x1.0x15.0	T25

螺纹铣削刀具 THREADING MILLING TOOLS

螺纹铣刀杆 Threading Milling Toolholders







订货号 Order No.	尺寸 Dimensions (mm)					刀片 Insert	螺钉 Screw	扳手 Torx key
	L	L ₁	D	D ₁	D ₂			
TMMC20-60 124/003	85	15	20	6.7	9	6.0mm	M2.2x0.45x5.0	T07
TMC20-2 124/005	77	15.5	20	7.4	10	2.0mm	M2.6x0.45x5.9	T08
TMC20-2 124/006	77	15.5	20	9	12			
TMC20-2 124/009	77	15.5	20	7.4	10			
TMC16-3 124/001	91	20.5	16	12.2	15.5	3.0mm	UNC5x8.0	T10
TMC25-4 124/002	88	30	25	13.4	18	4.0mm	UNC8x10.7	T20
TMC25-4 124/007	98	40	25	16	20		UNC8x11.6	T20
TMC25-5 124/004	98	40	25	19	25	5.0mm	M5x0.8x15.0	T25
TMC25-5 124/008	98	40	25	16.4	22		M7x1.0x15.0	T25




螺纹铣削刀具 THREADING MILLING TOOLS

螺纹铣刀杆 Threading Milling Toolholders



订货号 Order No.		尺寸 Dimensions (mm)							
右刀	左刀	L	L1	D	D1	D2	刀片 Insert	螺钉 Screw	扳手 Torx key
TMNC16-3	TMNC16-3 LH	90	22	16	12.5	15.5	3000	UNC5x8.0	T10
TMNC20-3	TMNC20-3 LH	85	23	20	15	19			
BTMNC16-3B	BTMNC16-3B LH	79.5	29	16	13.5	17	3B000	UNC5x8.0	T10
BTMNC20-3B	BTMNC20-3B LH	81.5	29	20	15.5	19			
TMNC32-5	TMNC32-5 LH	120	58	32	31	37	5000	M5x0.8x15.0	T25



订货号 Order No.		尺寸 Dimensions (mm)							
	L	L1	D	D1	D2	刀片 Insert	螺钉 Screw	扳手 Torx key	
TM2C20-2	85	20	20	14.4	17	2000	M2.6x0.45x5.9	T08	
TM2C25-3	100	43	25	22.5	26	3000			
BTM2C25-3B	104.2	46	25	22.5	26	3B000	UNC5x9.5	T10	
TM2C32-5	120	45	32	36	42	5000			
TM2C40-6B	137.2	65	40	44	52	6B000	M7x1.0x15.0	T25	