




BT Hydraulic Expansion Chucks / BT - 液压刀柄




G2.5 25,000min<sup>-1</sup>

4 xd ↗ ≤ 0.003

BT-液压刀柄






Order No. 货号	Size 规格	d 夹持直径	D <sub>1</sub>	D <sub>2</sub>	L <sub>1</sub>	Cooling 冷却方式	A 有效长度	
31.7003.60	BT30-HC3-60	3	25	46	19	AD	60	
31.7004.65	BT30-HC4-65	4	26	46	24	AD	65	
31.7006.75	BT30-HC6-75	6	30	46	26	AD	75	
31.7008.75	BT30-HC8-75	8	32	46	24	AD	75	
31.7010.75	BT30-HC10-75	10	32	45	24	AD	75	
31.7012.75	BT30-HC12-75	12	34	45	25	AD	75	
31.7014.90	BT30-HC14-90	14	38	46	40	AD	90	
31.7016.90	BT30-HC16-90	16	40	46	33	AD	90	
31.7016.120	BT30-HC16-120	16	40	46	33	AD	120	
31.7018.90	BT30-HC18-90	18	42	46	35	AD	90	
31.7020.90	BT30-HC20-90	20	40	46	33	AD	90	
31.7020.120	BT30-HC20-120	20	40	46	33	AD	120	
31.7025.105	BT30-HC25-105	25	55	63	46	AD	105	
31.7032.105	BT30-HC32-105	32	60	74	47	AD	105	
41.7004.75	BT40-HC4-75	4	26	46	24	AD	75	
41.7006.75	BT40-HC6-75	6	28	46	30	AD	75	
41.7006.90	BT40-HC6-90	6	28	46	30	AD	90	
41.7006.120	BT40-HC6-120	6	28	46	30	AD	120	
41.7008.75	BT40-HC8-75	8	30	48	30	AD	75	
41.7008.90	BT40-HC8-90	8	30	48	30	AD	90	

## BT Hydraulic Expansion Chucks / BT - 液压刀柄


 G2.5 25,000min<sup>-1</sup>


4 xd ≤ 0.003

BT-液压刀柄

Order No. 货号	Size 规格	d 夹持直径	D <sub>1</sub>	D <sub>2</sub>	L <sub>1</sub>	Cooling 冷却方式	A 有效长度
41.7008.120	BT40-HC8-120	8	30	48	30	AD	120 
41.7010.75	BT40-HC10-75	10	36	52	26	AD	75 
41.7010.90	BT40-HC10-90	10	36	52	40	AD	90 
41.7010.120	BT40-HC10-120	10	36	52	40	AD	120 
41.7012.75	BT40-HC12-75	12	38	54	26	AD	75 
41.7012.90	BT40-HC12-90	12	38	54	40	AD	90 
41.7012.120	BT40-HC12-120	12	38	54	40	AD	120 
41.7014.75	BT40-HC14-75	14	40	56	28	AD	75 
41.7014.90	BT40-HC14-90	14	40	56	40	AD	90 
41.7016.75	BT40-HC16-75	16	42	58	26	AD	75 
41.7016.90	BT40-HC16-90	16	42	58	40	AD	90 
41.7016.120	BT40-HC16-120	16	42	58	40	AD	120 
41.7018.75	BT40-HC18-75	18	44	59	25	AD	75 
41.7018.90	BT40-HC18-90	18	44	59	40	AD	90 
41.7020.75	BT40-HC20-75	20	46	59	46	AD	75 
41.7020.90	BT40-HC20-90	20	46	60	46	AD	90 
41.7020.120	BT40-HC20-120	20	46	60	40	AD	120 
41.7020.150	BT40-HC20-150	20	43	60	47	AD	150 
41.7025.105	BT40-HC25-105	25	52	62	55	AD	105 
41.7032.105	BT40-HC32-105	32	62	72	44	AD	105 



BT Hydraulic Expansion Chucks / BT- 液压刀柄



G2.5 25,000min<sup>-1</sup>

4xd ≤ 0.003

BT- 液压刀柄

Order No. 货号	Size 规格	d 夹持直径	D <sub>1</sub>	D <sub>2</sub>	L <sub>1</sub>	Cooling 冷却方式	A 有效长度
51.7006.105	BT50-HC6-105	6	28	46	25	AD	105
51.7006.150	BT50-HC6-150	6	28	46	25	AD	150
51.7008.105	BT50-HC8-105	8	30	48	25	AD	105
51.7008.150	BT50-HC8-150	8	30	48	25	AD	150
51.7010.105	BT50-HC10-105	10	36	52	26	AD	105
51.7010.150	BT50-HC10-150	10	36	52	25	AD	150
51.7012.105	BT50-HC12-105	12	38	54	26	AD	105
51.7014.105	BT50-HC14-105	14	40	56	25	AD	105
51.7016.105	BT50-HC16-105	16	42	58	26	AD	105
51.7016.150	BT50-HC16-150	16	42	58	25	AD	150
51.7018.105	BT50-HC18-105	18	44	59	26	AD	105
51.7020.105	BT50-HC20-105	20	46	60	26	AD	105
51.7020.150	BT50-HC20-150	20	46	60	26	AD	150
51.7025.120	BT50-HC25-120	25	52	62	56	AD	120
51.7032.120	BT50-HC32-120	32	62	72	43	AD	120
51.7032.200	BT50-HC32-200	32	62	72	42.5	AD	200

